

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office DEC 13 1962

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_

Map filed DEC 13 1962 under 20892

The applicant W. S. Robinson ASSIGNED TO: The City of North Las Vegas

of Las Vegas, County of Clark

State of Nevada, hereby make... application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Las Vegas Artesian Basin (underground source)  
Name of stream, lake or other source.

2. The amount of water applied for is 0.7 second-feet  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet \_\_\_\_\_ acre-feet

3. The water to be used for Quasi-municipal (industrial-service station-store buildings) and Domestic Use  
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated) \_\_\_\_\_

(b) Stockwater (state number and kinds of animals to be watered) \_\_\_\_\_

(c) Other use (describe fully under "No. 11. Remarks") \_\_\_\_\_

(d) Power:

(1) Horsepower developed \_\_\_\_\_

(2) Point of return of water to stream \_\_\_\_\_

5. The water is to be diverted from its source at the following point: SE $\frac{1}{4}$  SW $\frac{1}{4}$  Section 18, Township 20 South, Range 61 East, M.D.B. & M., or at appoint from which the South  $\frac{1}{4}$  corner of said Section 18 bears South 30° 09' 58" East a distance of 1467.82 feet.  
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be stated.

6. Place of use a portion of the SE $\frac{1}{4}$  SW $\frac{1}{4}$  and a portion of the SW $\frac{1}{4}$  SW $\frac{1}{4}$  Section 18, Township 20 South, Range 61 East, M.D.B. & M.  
Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about January 1st and end about December 31st, of each year.  
Month Month

8. Description of proposed works: (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drilled well, 8 inch casing, with miscellaneous size pipes to points of use.  
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works.....\$7,000.00
10. Estimated time required to construct works.....60 days
11. Remarks.....The applicant plans development of warehousing, store buildings, service stations, and light industrial facilities, and the water is to be used for this purpose.

Applicant.....W. S. ROBINSON

By S/ L. E. Tyson-State Water-Right Surveyor

Compared.....lv/hs.....hs/ns

APPROVAL.....OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished from Lake Mead. A meter must be installed in the discharge pipe line, near the point of diversion, and accurate measurements must be kept of water placed to beneficial use. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening and an air line for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NR5.030; therefore, the State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....0.7.....cubic feet per second

Actual construction work shall begin on or before.....August 25, 1966

Proof of commencement of work shall be filed before.....September 25, 1966

Work must be prosecuted with reasonable diligence and be completed on or before.....August 25, 1967

Proof of completion of work shall be filed before.....September 25, 1967

Application of water to beneficial use shall be made on or before.....August 25, 1968

Proof of the application of water to beneficial use shall be filed on or before.....September 25, 1968

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed.....

Completion of work filed.....

Proof of beneficial use filed.....

Cultural map filed.....

WITNESS MY HAND AND SEAL this 25th day of February, 1966

Certificate No. OCT 27 1967

Record.....Page.....BECAUSE OF FAILURE

GEORGE W. HENNEN  
State Engineer

By Island D. Westergaard  
Assistant State Engineer